

Drops of Life CBD

5858 Spid Dr.
Corpus Christi, TX 78412
jake@dropsoflifecbd.com
806-445-6990

Sample: 06-05-2023-34270

Sample Received: 06/05/2023;
Report Created: 06/07/2023; Expires: 06/06/2024

CBD Chocolate Bar
Ingestible, Chocolate



ND %
Total THC

ND %
Δ-9 THC

88.895 mg/unit
Total Cannabinoids

88.895 mg/unit
Total CBD

Cannabinoids

(Testing Method: HPLC, CON-P-3000)
Date Tested: 06/05/2023

Complete

Analyte	LOD	LOQ	Mass	Mass	Mass
	mg/unit	mg/unit	mg/unit	mg/g	%
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	3.841	5.742	ND	ND	ND
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	3.841	5.742	ND	ND	ND
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	3.841	5.742	ND	ND	ND
Δ-9-Tetrahydrocannabiphorol (Δ-9-THCP)	3.841	5.742	ND	ND	ND
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	3.841	5.742	ND	ND	ND
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	3.841	5.742	ND	ND	ND
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	3.841	5.742	ND	ND	ND
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	3.841	5.742	ND	ND	ND
9R-Hexahydrocannabinol (9R-HHC)	3.841	5.742	ND	ND	ND
9S-Hexahydrocannabinol (9S-HHC)	3.841	5.742	ND	ND	ND
Tetrahydrocannabinol Acetate (THCO)	3.841	5.742	ND	ND	ND
Cannabidivarin (CBDV)	3.841	5.742	ND	ND	ND
Cannabidivarinic Acid (CBDVA)	3.841	5.742	ND	ND	ND
Cannabidiol (CBD)	3.841	5.742	88.895	2.245	0.225
Cannabidiolic Acid (CBDA)	3.841	5.742	ND	ND	ND
Cannabigerol (CBG)	3.841	5.742	ND	ND	ND
Cannabigerolic Acid (CBGA)	3.841	5.742	ND	ND	ND
Cannabinol (CBN)	3.841	5.742	ND	ND	ND
Cannabinolic Acid (CBNA)	3.841	5.742	ND	ND	ND
Cannabichromene (CBC)	3.841	5.742	ND	ND	ND
Cannabichromenic Acid (CBCA)	3.841	5.742	ND	ND	ND
Total			88.895	2.245	0.225

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%
Total CBD Measurement of Uncertainty: ± 2.000%
THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Unit Size: 39.597 g Unit: 1 Chocolate Bar



New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC
17025:2017

Natalie Siracusa
Natalie Siracusa
Laboratory Director

Powered by
reLIMS
info@relims.com