New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Drive Tincture

Sample ID: 2608NBL1477.4113
Matrix: Ingestible
Type: Tincture
Sample Size:
Date Collected:

Received: 08/28/2026
Completed: 09/01/2026
Expires: 09/01/2027
External Lot ID:
NP25HDIHD9NanoL20062325
Batch#: DBT01

Client
Drops of life
Lic. #
16708 CR 356 Winona, TX 75792
(903) 352-0641 sattlerjh@gmail.com

Summary

Test	Date Tested	Result
Cannabinoids	08/31/2026	Complete
Foreign Matter	08/28/2026	Not Completed

Cannabinoids

Complete

ND	ND	7.990 mg/serving	15.883 mg/serving
Total Δ9-THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/serving	mg/serving	mg/serving	mg/container	%
(6aR,9R)-d10-THC	0.0211	0.032	ND	ND	ND
9R-HHC	0.0211	0.032	ND	ND	ND
(6aR,9S)-d10-THC	0.0211	0.032	ND	ND	ND
9S-HHC	0.0211	0.032	ND	ND	ND
CBC	0.0211	0.032	ND	ND	ND
CBCa	0.0211	0.032	ND	ND	ND
CBD	0.0211	0.032	7.990	958.79400	3.512
CBDa	0.0211	0.032	ND	ND	ND
CBDV	0.0211	0.032	0.036	4.30306	0.016
CBDVa	0.0211	0.032	ND	ND	ND
CBG	0.0211	0.032	7.857	942.80385	3.453
CBGa	0.0211	0.032	ND	ND	ND
CBN	0.0211	0.032	ND	ND	ND
CBNa	0.0211	0.032	ND	ND	ND
Δ8-THC	0.0211	0.032	ND	ND	ND
Δ9-THC	0.0211	0.032	ND	ND	ND
THCa	0.0211	0.032	ND	ND	ND
THCp	0.0211	0.032	ND	ND	ND
THCV	0.0211	0.032	ND	ND	ND
THCVa	0.0211	0.032	ND	ND	ND
Total THC			**ND**	**ND**	**ND**
Total CBD			**7.990**	**958.79400**	**3.512**
Total			**15.883**	**1905.90091**	**6.981**

Date Tested: 08/31/2026
Density: 1 mL = 0.948 g; Serving Mass: 0.228 g; 120 servings per container; 0.0 mg THC per container; 1 Serving = 0.25 Dropper
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.

Ashley Phillips
Laboratory Director
09/01/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com
confident

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.