NEW BLOOM LABS

New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Sleep Tincture

Sample ID: 2603NBL0591.1550
Matrix: Ingestible
Type: Tincture
Sample Size:
Date Collected:

Received: 04/07/2026
Completed: 04/09/2026
Expires: 04/09/2027
External Lot ID: 260102-260105
Batch#: 260102-260105

Client
LSM Health + Wellness
Lic. #
1305 Airline Rd #4 Corpus Christi, TX 78412
(806) 445-6990 jake@dropsoflifecbd.com

Summary

Test	Date Tested	Result
Cannabinoids	04/08/2026	Complete

Cannabinoids

Complete

ND	ND	1,190.600 mg/unit	2,332.167 mg/unit
Total THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL
(6aR,9R)-d10-THC	2.7761	4.164	ND	ND
9R-HHC	2.7761	4.164	ND	ND
(6aR,9S)-d10-THC	2.7761	4.164	ND	ND
9S-HHC	2.7761	4.164	ND	ND
CBC	2.7761	4.164	ND	ND
CBCa	2.7761	4.164	ND	ND
CBD	2.7761	4.164	1190.600	39.68668
CBDa	2.7761	4.164	ND	ND
CBDV	2.7761	4.164	5.469	0.18230
CBDVa	2.7761	4.164	ND	ND
CBG	2.7761	4.164	ND	ND
CBGa	2.7761	4.164	ND	ND
CBN	2.7761	4.164	1136.098	37.86992
CBNa	2.7761	4.164	ND	ND
Δ8-THC	2.7761	4.164	ND	ND
Δ9-THC	2.7761	4.164	ND	ND
THCa	2.7761	4.164	ND	ND
THCp	2.7761	4.164	ND	ND
THCV	2.7761	4.164	ND	ND
THCVa	2.7761	4.164	ND	ND
Total THC			ND	ND
Total CBD			1190.600	39.68668
Total			2332.167	77.73890

Date Tested: 04/08/2026
Density: 1 mL = 0.967 g, Unit Mass: 29.010 g, 1 Unit = 30 mL
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.

Ashley N Phillips

Ashley Phillips
Laboratory Director
04/09/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.